



SIMPLE. SMART. SPA.


Technical sheet





S_02

Full electric multifunctional SPA massage bed | Wood-metal structure




SKYY s_02 technical sheet


DIMENSIONS

S_02 (SQUARED PLATEAU)


PLAN




BED UP



BED UP




BED DOWN





BED DOWN



NOTES


The specifications listed are subject to change without notice to ensure the highest quality and performance. They do not replace in any case the signature for approval on technical drawings.

S_02R (ROUNDED PLATEAU)

Dimensions in mm (inches)

PLAN


SKYY S_02 technical sheet



Backrest adjustment	60°
Legrest adjustment	30°
Stroke of the motors	300 mm (11,8 inches)
Lift capacity	400 kg (882 lbs)
Weight	130 kg (287 lbs)




Power supply cable comes out from under the base and can be directed through either foot. Depending on the installation, the cable should be connected to an external socket or a floor outlet.





CLOUD MATTRESS

The mattress features 3 layers of progressively graded foam to provide optimal support during pressure application by the operator and to ensure maximum comfort for the client.





Memory Foam always included as standard feature

T shape pillow


T-shape pillow provides extra comfort when lying supine


Hand-finished stitching

HERGO SYSTEM

Face hole is designed with a specialised cutout for the forehead. This allows the nose and mouth to rest comfortably in the main opening while the forehead cutout prevents pressure build-up.







By eliminating pressure on the forehead, this system effectively reduces cervical tension and enhances overall relaxation during treatment. Bio-technologies mean technologies for life. By integrating them, we transform beds into advanced tools that enhance treatment efficacy while offering significant health benefits. Our goal is to enhance Client experience and promote overall well-being.


Powered by LIFE 🛞 WELLTECH


bio-technologies for wellness

BIO-TECHNOLOGIES

C.W.S. TECHNOLOGY (HEATING SYSTEM)

C.W.S. Technology employs Far Infrared Rays (FIR), bio-energetic rays with the unique ability to penetrate deeply into the skin layers, enhancing blood circulation, relieving muscle pain, reducing inflammation, detoxifying the body and promoting relaxation.







Voltage	24 Vdc
Current at rated load	5 A
Power	120 W

360° SOUND EXPERIENCE (SOUND SYSTEM)

This technology generates high-definition sound produced by impulse speakers that create light vibrations, trasforming the bed into an instrument itself.







24 Vdc
4 Ohms
30 W

COATING DECORS (STRUCTURE)



STANDARD FINISHES COATING DECORS - WOOD EFFECT MOKA OAK CANALETTO WALNUT ESPRESSO WALNUT NATURAL CARAMEL OAK OAK S206 S185 S181 LS47 LS53 METAL DECORS TEXTURED BEIGE 1015 TEXTURED GREY 7039 TEXTURED WHITE TEXTURED BLACK 9010 9005 **PREMIUM FINISHES COATING DECORS** - SOLID COLOURS LATTE HMOO BEIGE ANTHRACITE BLACK HM03 HM06 HM07 COATING DECORS - LEATHER EFFECT PEARL UB19 SAND UA80 MANDALA FB12 CHOCO FA33 METAL DECORS


MIRROR stainless steel AISI 430



CONFIGURATOR


Play with finishes!

Visit our website and create your personalised model with our intuitive configurator.



DOWNLOAD OUR COMPLETE TEXTURE BROCHURE

WOOD COVER




DIFFERENT WIDTHS

Wooden cover over the metal base. Matching finishes.

Standard: 840 mm (33")


Optional: 760 mm (29.2")

EXTERNAL HEAD SUPPORT




Comfortable external headrest

ERGONOMIC ARMRESTS




Armrests are integrated into the plateau, providing enhanced stability and allowing a perfect comfort position. Unlike traditional drop-down armrests, our design ensures seamless support and ease of use.

ERGONOMIC CUT - FEET SIDE




The operator leg cutout on the face side of the plateau can also be requested on the foot side.

INTERNATIONAL PLUGS



EU (230 V) UK (230 V) USA (110 V)

CHROMOTHERAPHY LED SYSTEM



The optional chromotherapy LED system provides lighting to enhance relaxation, energy and body-mind balance.



BELTRAMI designing textile experiences MADE IN ITALY

Building on the collaboration started with C.O.D.E., SKYY also partners with Beltrami, a premier manufacturer of luxury linens Made in Italy. Working closely with clients, we can provide top-tier linen products tailored according to your exact requirements, whether it's specific colours, patterns or materials.

Thus we create bespoke bedding solutions that embody the pinnacle of luxury and comfort.



SKYY S_02 technical sheet

HEIGHT ADJUSTMENT MOTORS

N° of motors	2
Voltage	24 Vdc
Current at rated load	4 ± 0,7 A each
Frequency	50/60 Hz
Load capacity	2x 2000 N (push)

BACKREST-LEGREST ADJUSTMENT MOTORS

N° of motors	2
Voltage	24 Vdc
Current at rated load	3 A each
Frequency	50/60 Hz
Load capacity	up to 160 kg (352 Lbs)

MATTRESS UPHOLSTERY

Chemical solvents-free, meets REACH and OEKO-TEX certifications		
High scratch and abrasion resistance		
Durability performance	Abrasion test > 250.000 cycles (heavy use)	
Tesistance to hydrolysis	10 years	
Fire Proof Norms	BS 5852 Part I - Cigarette & Match Tests	
	EN 1021-1/2 - Cigarette & Match Tests	
	CA Tech. Bull. 117:2013 / NFPA 260 Cigarette test	

NORMS

All Equipment is CE marked.

All electronic components are CE, CB and UL certified.

Directive 2006/42/CE (Machinery Directive) and national regulations.

Directive 2014/30/UE (Electromagnetic Compatibility Directive) and national regulations.

STRUCTURE COATING

Resistance to abrasion	≥ Level 3; IP ≥ 150; WP≥ 350
Resistance to scratches	≥ Level 3; ≥ 4N
Resistance to steam	≥ Level 4
Resistance to dry heat	≥ Level 4
Resistance to stains	≥ Level 4
Resistance to light	≥ 4 grey scale
Formaldehyde emissions	≤ 3,5 mg/hm²
Fire Proof Norms	EN ISO 11925 - 2:2010 Surface flame impingement = 30 s
	EN ISO 11925 - 2:2010 Edge flame impingement = 30 s
	EN 13823:2010 Flaming droplets within 600 s not detected



ISO 9001 sets out the criteria for a quality management system. This standard is based on a number of management principles to help ensure that customers get consistent, good-quality products and services.

S 02 technical sheet



ISO14001specifiestherequirementsforanorganization seeking to manage its environmental responsibilities in a systematic manner that contributes to the environmental pillar of sustainability.



ISO 16000 is intended to aid the planning of indoor pollution monitoring. A+ label means all standards and recommendations are met in full, with very low emissions into indoor air.



Our upholstery comply with **REACH** Regulation for the restriction of chemicals, to provide a high level of protection for human health and environment. OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 Our upholstery comply with STANDARD 100 by OEKO-TEX[®] as have been tested against a list of up to 350 toxic chemicals to protect your health.



FSC Chain-of-Custody Certification traces the path of products from forests through the supply chain, verifying that any company before the end user must be FSC labelled to promote the products as FSC certified.



Indoor Health and Wellness Certification: With the prestigious "Indoor Air Comfort GOLD" recognition, SKYY commits to uncompromising biocompatibility, promoting a healthier and purer environment.



The Green Key certificate is the leading standard for excellence in the field of environmental responsibility and sustainable operation within the tourism industry.







SKYY guarantees a full 2-year warranty on all the electrical components of the product.



SKYY guarantees a full 3-year warranty on mattress, upholstery and foam.



SKYY guarantees a full 5-year warranty on electric actuators.



SKYY guarantees a full 10-year warranty on frames and metal parts.



SKYY provides a lifetime assistance for any problem throughout the entire life of the product.

The specifications listed are subject to change without notice to ensure the highest quality and performance. They may not be reproduced, copied or otherwise used. They do not replace in any case the signature for approval on technical drawings.



info@skyyspa.com www.skyyspa.com

